

HOUSE BRANCH SIZE—APPROVED CONNECTION METHOD

SEWER MAIN SIZE

H.B. SIZE	6"	8"	10"	12"	15"
	MTHD.1	MTHD.1	MTHD.1,2,3	MTHD.1,2,3	MTHD.1,2,3
6"	MTHD.1	MTHD.1	MTHD.1,2,3	MTHD.1,2,3	MTHD.1,2,3

1. ALL WYES AND TEES SHALL BE OF SAME MATERIALS AS THAT OF THE SEWER MAIN OR APPROVED EQUAL.
2. 8 INCH DIAMETER AND LARGER HOUSE BRANCHES REQUIRE A MANHOLE AT POINT OF CONNECTION.
3. HOUSE BRANCH CONNECTIONS WITH AN APPROVED SADDLE TO EXISTING SEWER MAINS 10 INCHES AND LARGER. BY OTHER THAN A MACHINE CORE SHALL NOT BE ALLOWED.
4. SADDLES SHALL BE OF SAME MATERIAL AS SEWER MAIN OR APPROVED EQUAL AND SHALL NOT EXTEND BEYOND THE INSIDE DIAMETER OF THE SEWER.
5. SEWER HOUSE BRANCHES SHALL BE INSTALLED IN CONFORMANCE WITH DRAWING S-1 OF THE CITY STANDARD SPECIFICATIONS AND THE UNIFORM PLUMBING CODE.